

Agricultural Marketing Service, USDA

§ 91.27

(available from National Technical Information Service (NTIS), U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161).

[65 FR 64310, Oct. 26, 2000]

(f) Show only such other information and statements of fact as are provided in the instructions authorized by the Deputy Administrator.

[75 FR 17288, Apr. 6, 2010]

Subpart G—Reporting

§ 91.24 Reports of test results.

(a) Results of analyses are provided, in writing, by facsimile, by e-mail or other electronic means to the applicant.

(b) Results of test analyses and laboratory determinations provided by AMS laboratory services only apply to the submitted samples and do not represent the quality, condition or disposition of the lot from which each sample was taken.

(c) Applicants may call the appropriate Science and Technology laboratory for interim or final results prior to issuance of the formal report. The advance results may be telegraphed, e-mailed, telephoned, or sent by facsimile to the applicant. Any additional expense for advance information shall be borne by the requesting party.

(d) A letter report in lieu of an official certificate of analysis may be issued by a laboratory representative when such action appears to be more suitable than a certificate: Provided, that, issuance of such report is approved by the Deputy Administrator.

[75 FR 17288, Apr. 6, 2010]

§ 91.25 Certificate requirements.

Certificates of analysis and other memoranda concerning laboratory service and the reporting of results should have the following requirements:

(a) Certificates of analysis shall be on standard printed forms approved by the Deputy Administrator;

(b) Shall be printed in English;

(c) Shall have results typewritten, computer generated, or handwritten in ink and shall be clearly legible;

(d) Shall show the results of laboratory tests in a uniform, accurate, and concise manner with abbreviations identified on the form;

(e) Shall show the information required by §§ 91.26 through 91.29; and

§ 91.26 Issuance of certificates.

(a) The person signing and issuing the certificate of analysis shall be one of the following:

(1) The scientist who performed the analysis;

(2) Another technician of the laboratory facility, who has been given power of attorney by the scientist who performed the analytical testing and been authorized by the Deputy Administrator to affix the scientist's signature to a certificate. The power of attorney shall be on file with the employing office or laboratory of the Science and Technology program;

(3) A person designated as the "laboratory director in charge," when the certificate represents composite analyses by several technicians.

(b) The laboratory certificate shall be prepared in accordance with the facts set forth in the official memoranda made by the scientist or technicians in connection with the analysis.

(c) Whenever a certificate is signed by a person under a power of attorney, the certificate should so indicate. The signature of the holder of power shall appear under the name of the scientist who personally analyzed the sample, and whenever a certificate issued is signed by a scientist in charge, that title must appear in connection with the signature.

[58 FR 42415, Aug. 9, 1993, as amended at 65 FR 64311, Oct. 26, 2000]

§ 91.27 Corrections to certificates prior to issuance.

(a) The accuracy of the statements and information shown on certificates of analysis must be verified by the individual whose name or signature, or both, is shown on the certificate or by the authorized agent who affixed the name or signature, or both. When a name or signature, or both, is affixed by an authorized agent, the initials of the agent shall appear directly below or following the name, or signature of the person. Errors found during this